

**ADDRESS CODE DISTRIBUTION - ECPs/RFDs/RFWs/VECPs**  
**(Configuration Management)**

1. Concurrent distribution of Engineering Change Proposals (ECPs), Request for Deviations (RFDs), Request for Waivers (RFWs) or Value Engineering Change Proposals (VECPs) shall be submitted by the Contractors as follows:

2. The contractor shall provide the **original** plus 1 copy to:

Commander, Soldier Biological and Chemical Command  
ATTN: AMSSC-REN-SE  
Building E5027  
Aberdeen Proving Ground, MD 21010-5423.

3. Provide one copy to the following design agency:

Commander, Soldier Biological and Chemical Command  
ATTN: AMSSB-PM-RNN-I  
Building E4465  
Aberdeen Proving Ground, MD 21010-5424.

4. Provide one copy to:

a. (Contracting officer)

Director, Armament and Chemical Acquisition, and Logistics Activity  
ATTN: AMSTA-CM-CREC  
Rock Island, IL 61299-7630.

b. (Engineering support)

Commander, Soldier Biological and Chemical Command  
ATTN: AMSSB-RSO-MAD (RI)  
Rock Island, IL 61299-7390.

c. Administrative contracting officer

5. For **VECPs only**, provide one copy to each Value Engineering Office:

Commander, Soldier Biological and Chemical Command  
ATTN: AMSSB-REN-E  
Aberdeen Proving Ground, MD 21010-5423.

6. When ECPs, RFDs or RFWs are determined to be Urgent, Critical and/or Schedule impacting, an action copy should be provided via data facsimile (FAX) to AMSSB-PM-RNN-I at 410-436-7917 and to AMSSC-RSO-MAD (RI) at 309-782-3253. This transmission is to be immediately followed with the usual hard copy mailing.

# CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: SIEVE PUMP ASSEMBLY  
TO CONTRACT/PR: C10AAJ02

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 8. APP 9. DIST STATEMENT	
	250 CODE REQUIRED	
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

---

1. A001	14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)	DISTRIBUTION	/ /
3. *	ATTACHED	/ /
4. DI-CMAN-80639B		
5. MIL-STD-973		
6. AMSSB-RSO-ADM(RI)	7. LT 8. - 9.**	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13.	
16. REMARKS		
ECP SHORT FORM SHALL BE USED FOR THE SUBMISSION AND PROCESSING OF ALL CLASS II ENGINEERING ACTIONS. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.		

---

1. A002	14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)	DISTRIBUTION	/ /
3.	ATTACHED	/ /
4. DI-CMAN-80640B		
5. MIL-STD-973		
6. AMSSB-RSO-ADM(RI)	7. LT 8. - 9.**	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13.	
16. REMARKS		
**DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.		

1. A003	14. SEE ADDRESS CODE	/ /
---------	----------------------	-----

2. REQUEST FOR WAIVER (RFW)

3.

DISTRIBUTION

ATTACHED

/ /  
/ /

4. DI-CMAN-80641B

5. MIL-STD-973

6. AMSSC-HB-ADM(RI) 7. LT 8. - 9.\*\*

10. ASREQ 11. ---

15. TOTAL 0/ 0/ 0

12. ASREQ 13.

16. REMARKS

\*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A004

14.

SEE ADDRESS CODE

DISTRIBUTION

ATTACHED

/ /  
/ /  
/ /

2. NOTICE OF REVISION (NOR)

3.

4. DI-CMAN-80642B

5. MIL-STD-973

6. AMSSB-RSO-ADM(RI) 7. LT 8. - 9.\*\*

10. ASREQ 11. ---

15. TOTAL 0/ 0/ 0

12. ASREQ 13.

16. REMARKS

THE CONTRACTOR SHALL PREPARE AND SUBMIT A NOR FOR EACH DRAWING, ASSOCIATED LIST, OR OTHER REFERENCED DOCUMENT WHICH REQUIRE REVISION AFTER ECP APPROVAL. \*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

ALL THE ABOVE MAY BE SUBMITTED TO:

COMMANDER

U.S.ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND (SBCCOM)

ATTN: AMSSB-RSO-ADM (CDE QA CELL) BLDG.62,1<sup>st</sup>floor,West Wing

ROCK ISLAND,IL 61299-7390

1. A005

14.

AMSSB-RSO-ADM (RI)

/ 1/

2. SPECIAL INSPECTION EQUIPMENT DESCRIPTIVE DOC.

/ /

3. AIE DESIGN DOCUMENTATION

QAR

/ /

CO (LT ONLY)

/ /

4. DI-QCIC-81006

5. SECTION E

6. AMSSB-RSO-ADM(RI) 7. XX 8. A 9. N/A

10. ONE/R 11.N/A

15. TOTAL 0/ 1/0

12. \*\* 13.WHEN REV.

16. REMARKS

\*BLOCK 4: DO NOT ADDRESS PARAGRAPHS 10.1, 10.2,10.4.1(f) AND 10.4.2. IGNORE ALL REFERENCE TO THE WORD "SPECIAL" IN DID.SUBMIT FOR ALL TESTS AND ALL CRITICAL, SPECIAL AND MAJOR CHARACTERISTICS IN SPECIFICATION OR QAP. UNLESS OTHERWISE SPECIFIED, INSPECTION EQUIPMENT INCLUDES STANDARD MEASURING AND TEST EQUIPMENT AND/OR COMMERCIAL OFF THE INSPECTION/TEST EQUIPMENT. \*\*BLOCK 12:SUBMIT 45 DAYS PRIOR TO FA,OR PRODUCTION,IF FA IS

WAIVED. THE GOVERNMENT WILL RESPOND WITHIN 45 DAYS OF RECEIPT OF ORIGINALS AND REVISIONS. REVISIONS ARE TO BE SUBMITTED WITHIN 10 DAYS OF RECEIPT OF GOVERNMENT RESPONSE. IF DOCUMENTATION WAS APPROVED ON PRIOR CONTRACT AND NO CHANGES WERE MADE, SUBMIT ONLY EVIDENCE OF PRIOR APPROVALS. All submissions should be presented in the following formats via e-mail or on PC compatible CD-ROM, 100MB Iomega ZIP disks, or 3.5" high density floppy discs

Textual Information	MS Office compatible (i.e. doc.xls, rtf)
Technical Drawings	Windows Metafile, Bitmap, JPEG, DesignCAD 2D or AutoCAD formats
Illustrations/Photos	Windows Metafile, Bitmap, JPEG (i.e. WMF, BMP, JPG, GIF)

Files may be compressed using ZIP program.

WARNING: Large packages may cause delays in delivery using mail internet.

Email subject line must contain end item nomenclature.

Email michaelw@ria.army.mil

Postal: US ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND (SBCCOM)

ATTN: AMSSB-RSO-ADM(RI), CDE QA CELL, BLDG. 62, ROCK ISLAND, IL 61299-7390

---

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 06/05/2000

# CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: SIEVE FILL KIT ASSEMBLY  
TO CONTRACT/PR: C10AAJ03

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 8. APP 9. DIST STATEMENT 250 CODE REQUIRED	
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

---

1. A001	14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)	DISTRIBUTION	/ /
3. *	ATTACHED	/ /
4. DI-CMAN-80639B		
5. MIL-STD-973		
6. AMSSB-RSO-ADM(RI)	7. LT 8. - 9.**	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13.	
16. REMARKS		
ECP SHORT FORM SHALL BE USED FOR THE SUBMISSION AND PROCESSING OF ALL CLASS II ENGINEERING ACTIONS. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.		

---

1. A002	14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)	DISTRIBUTION	/ /
3.	ATTACHED	/ /
4. DI-CMAN-80640B		
5. MIL-STD-973		
6. AMSSB-RSO-ADM(RI)	7. LT 8. - 9.**	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13.	
16. REMARKS		
**DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.		

1. A003	14. SEE ADDRESS CODE	/ /
---------	----------------------	-----

2. REQUEST FOR WAIVER (RFW)  
3.

DISTRIBUTION / /  
ATTACHED / /

4. DI-CMAN-80641B

5. MIL-STD-973

6. AMSSC-HB-ADM(RI) 7. LT 8. - 9.\*\*

10. ASREQ 11. ---

15. TOTAL 0/ 0/ 0

12. ASREQ 13.

16. REMARKS

\*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A004

14.  
SEE ADDRESS CODE / /  
DISTRIBUTION / /  
ATTACHED / /

2. NOTICE OF REVISION (NOR)

3.

4. DI-CMAN-80642B

5. MIL-STD-973

6. AMSSB-RSO-ADM(RI) 7. LT 8. - 9.\*\*

10. ASREQ 11. ---

15. TOTAL 0/ 0/ 0

12. ASREQ 13.

16. REMARKS

THE CONTRACTOR SHALL PREPARE AND SUBMIT A NOR FOR EACH DRAWING, ASSOCIATED LIST, OR OTHER REFERENCED DOCUMENT WHICH REQUIRE REVISION AFTER ECP APPROVAL. \*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A005

14.  
AMSSB-RSO-ADM (RI) / 2/  
QAR / /  
CO (LT ONLY) / /

2. SPECIAL INSPECTION EQUIPMENT DESCRIPTIVE DOC.

3. AIE DESIGN DOCUMENTATION

4. DI-QCIC-81006

5. SECTION E

6. AMSSB-RSO-ADM(RI) 7. XX 8. A 9. N/A

10. ONE/R 11. N/A

15. TOTAL 0/ 3/ 0

12. \*\* 13. WHEN REV.

16. REMARKS

\*BLOCK 4: DO NOT ADDRESS PARAGRAPHS 10.1, 10.2, 10.4.1(f) AND 10.4.2. IGNORE ALL REFERENCE TO THE WORD "SPECIAL" IN DID. SUBMIT FOR ALL TESTS AND ALL CRITICAL, SPECIAL AND MAJOR CHARACTERISTICS IN SPECIFICATION OR QAP. UNLESS OTHERWISE SPECIFIED, INSPECTION EQUIPMENT INCLUDES STANDARD MEASURING AND TEST EQUIPMENT AND/OR COMMERCIAL OFF THE INSPECTION/TEST EQUIPMENT. \*\*BLOCK 12: SUBMIT 45 DAYS PRIOR TO FA, OR PRODUCTION, IF FA IS WAIVED. THE GOVERNMENT WILL RESPOND WITHIN 45 DAYS OF RECEIPT OF ORIGINALS AND REVISIONS. REVISIONS ARE TO BE SUBMITTED WITHIN 10 DAYS OF RECEIPT OF GOVERNMENT RESPONSE. IF DOCUMENTATION WAS APPROVED ON PRIOR CONTRACT AND NO CHANGES WERE MADE, SUBMIT ONLY EVIDENCE OF PRIOR APPROVALS. All submissions should be presented in the following formats via e-mail or on PC compatible CD-ROM, 100MB Iomega ZIP disks, or 3.5" high density floppy

discs	Textual Information	MS Office compatible (i.e. doc.xls, rtf)
	Technical Drawings	Windows Metafile, Bitmap, JPEG, DesignCAD 2D or AutoCAD formats
	Illustrations/Photos	Windows Metafile, Bitmax, JPEG (i.e. WMF, BMP, JPG, GIF)

Files may be compressed using ZIP program.

WARNING: Large packages may cause delays in delivery using mail internet.  
Email subject line must contain end item nomenclature.

Email: jennings@ria.army.mil

Postal: US ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND (SBCCOM)

ATTN: AMSSB-RSO-ADM(RI), CDE QA CELL, BLDG. 62, ROCK ISLAND, IL 61299-7390

---

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 06/08/2000

# CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: SEAL, PUMP MANIFOLD  
TO CONTRACT/PR: C10AAJ04

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 8. APP 9. DIST STATEMENT	
	250 CODE REQUIRED	
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

---

1. A001	14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)	DISTRIBUTION	/ /
3. *	ATTACHED	/ /
4. DI-CMAN-80639B		
5. MIL-STD-973		
6. AMSSB-RSO-ADM(RI)	7. LT 8. - 9.**	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13.	
16. REMARKS		
ECP SHORT FORM SHALL BE USED FOR THE SUBMISSION AND PROCESSING OF ALL CLASS II ENGINEERING ACTIONS. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.		

---

1. A002	14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)	DISTRIBUTION	/ /
3.	ATTACHED	/ /
4. DI-CMAN-80640B		
5. MIL-STD-973		
6. AMSSB-RSO-ADM(RI)	7. LT 8. - 9.**	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13.	
16. REMARKS		
**DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.		



1. A003  
2. REQUEST FOR WAIVER (RFW)  
3.

14.  
SEE ADDRESS CODE / /  
DISTRIBUTION / /  
ATTACHED / /

4. DI-CMAN-80641B

5. MIL-STD-973

6. AMSSB-RSO-ADM(RI) 7. LT 8. - 9.\*\*

10. ASREQ 11. ---

15. TOTAL 0/ 0/ 0

12. ASREQ 13.

16. REMARKS  
\*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CON-  
FIGURATION MANAGER.

1. A004  
2. NOTICE OF REVISION (NOR)  
3.

14.  
SEE ADDRESS CODE / /  
DISTRIBUTION / /  
ATTACHED / /

4. DI-CMAN-80642B

5. MIL-STD-973

6. AMSSB-RSO-ADM(RI) 7. LT 8. - 9.\*\*

10. ASREQ 11. ---

15. TOTAL 0/ 0/ 0

12. ASREQ 13.

16. REMARKS  
THE CONTRACTOR SHALL PREPARE AND SUBMIT A NOR FOR EACH DRAWING, ASSOCIATED  
LIST, OR OTHER REFERENCED DOCUMENT WHICH REQUIRE REVISION AFTER ECP  
APPROVAL. \*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY  
THE DOD CONFIGURATION MANAGER.

ALL THE ABOVE MAY BE SUBMITTED TO:

COMMANDER  
U.S.ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND (SBCCOM)  
ATTN: AMSSB-RSO-ADM (CDE QA CELL) BLDG.62,1<sup>st</sup>floor,West Wing  
ROCK ISLAND, IL 61299-7390

1. A005  
2. SPECIAL INSPECTION EQUIPMENT DESCRIPTIVE DOC.  
3. AIE DESIGN DOCUMENTATION

14.  
AMSSB-RSO-ADM (RI) / 2/  
QAR / /  
CO (LT ONLY) / /

4. DI-QCIC-81006

5. SECTION E

6. AMSSB-RSO-ADM(RI) 7. XX 8. A 9. N/A

10. ONE/R 11.N/A

15. TOTAL 0/ 2/ 0

12. \*\* 13.WHEN REV.

16. REMARKS  
\*BLOCK 4: DO NOT ADDRESS PARAGRAPHS 10.1, 10.2,10.4.1(f) AND 10.4.2.  
IGNORE ALL REFERENCE TO THE WORD "SPECIAL" IN DID.SUBMIT FOR ALL TESTS  
AND ALL CRITICAL, SPECIAL AND MAJOR CHARACTERISTICS IN SPECIFICATION OR  
QAP. UNLESS OTHERWISE SPECIFIED, INSPECTION EQUIPMENT INCLUDES STANDARD

MEASURING AND TEST EQUIPMENT AND/OR COMMERCIAL OFF THE INSPECTION/TEST EQUIPMENT. \*\*BLOCK 12: SUBMIT 45 DAYS PRIOR TO FA, OR PRODUCTION, IF FA IS WAIVED. THE GOVERNMENT WILL RESPOND WITHIN 45 DAYS OF RECEIPT OF ORIGINALS AND REVISIONS. REVISIONS ARE TO BE SUBMITTED WITHIN 10 DAYS OF RECEIPT OF GOVERNMENT RESPONSE. IF DOCUMENTATION WAS APPROVED ON PRIOR CONTRACT AND NO CHANGES WERE MADE, SUBMIT ONLY EVIDENCE OF PRIOR APPROVALS.

All submissions should be presented in the following formats via e-mail or on PC compatible CD-ROM, 100MB Iomega ZIP disks, or 3.5" high density floppy discs

Textual Information	MS Office compatible (i.e. doc.xls, rtf)
Technical Drawings	Windows Metafile, Bitmap, JPEG, DesignCAD 2D or AutoCAD formats
Illustrations/Photos	Windows Metafile, Bitmax, JPEG (i.e. WMF, BMP, JPG, GIF)

Files may be compressed using ZIP program.

WARNING: Large packages may cause delays in delivery using mail internet.

Email subject line must contain end item nomenclature.

Email: cromerf@ria.army.mil and jennings@ria.army.mil

Postal: US ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND (SBCCOM)

ATTN: AMSSB-RSO-ADM(RI), CDE QA CELL, BLDG. 62, ROCK ISLAND, IL 61299-7390

---

---

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 05/10/2000

# CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: SIEVE BREATHER  
TO CONTRACT/PR: C10AAJ06

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 8. APP 9. DIST STATEMENT	
	250 CODE REQUIRED	
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

---

1. A001	14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)	DISTRIBUTION	/ /
3. *	ATTACHED	/ /
4. DI-CMAN-80639B		
5. MIL-STD-973		
6. AMSSB-RSO-ADM(RI)	7. LT 8. - 9.**	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13.	
16. REMARKS		
ECP SHORT FORM SHALL BE USED FOR THE SUBMISSION AND PROCESSING OF ALL CLASS II ENGINEERING ACTIONS. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.		

---

1. A002	14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)	DISTRIBUTION	/ /
3.	ATTACHED	/ /
4. DI-CMAN-80640B		
5. MIL-STD-973		
6. AMSSB-RSO-ADM(RI)	7. LT 8. - 9.**	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13.	
16. REMARKS		
**DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.		

1. A003	14. SEE ADDRESS CODE	/ /
---------	----------------------	-----

2. REQUEST FOR WAIVER (RFW)

DISTRIBUTION / /

3.

ATTACHED / /

4. DI-CMAN-80641B

5. MIL-STD-973

6. AMSSC-HB-ADM(RI)

7. LT 8. - 9.\*\*

10. ASREQ

11. ---

15. TOTAL 0/ 0/ 0

12. ASREQ

13.

16. REMARKS

\*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A004

14.

SEE ADDRESS CODE / /

2. NOTICE OF REVISION (NOR)

DISTRIBUTION / /

3.

ATTACHED / /

4. DI-CMAN-80642B

5. MIL-STD-973

6. AMSSB-RSO-ADM(RI)

7. LT 8. - 9.\*\*

10. ASREQ

11. ---

15. TOTAL 0/ 0/ 0

12. ASREQ

13.

16. REMARKS

THE CONTRACTOR SHALL PREPARE AND SUBMIT A NOR FOR EACH DRAWING, ASSOCIATED LIST, OR OTHER REFERENCED DOCUMENT WHICH REQUIRE REVISION AFTER ECP APPROVAL. \*\*DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

ALL THE ABOVE MAY BE SUBMITTED TO:

COMMANDER

U.S.ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND (SBCCOM)

ATTN: AMSSB-RSO-ADM (CDE QA CELL) BLDG.62,1<sup>st</sup>floor,West Wing

ROCK ISLAND,IL 61299-7390

1. A005

14.

AMSSB-RSO-ADM (RI) / 1/

2. SPECIAL INSPECTION EQUIPMENT DESCRIPTIVE DOC.

/ /

3. AIE DESIGN DOCUMENTATION

QAR

/ 1/

CO (LT ONLY)

/ /

4. DI-QCIC-81006

5. SECTION E

6. AMSSB-RSO-ADM(RI)

7. XX 8. A 9. N/A

10. ONE/R

11.N/A

15. TOTAL 0/ 2/ 0

12. \*\*

13.WHEN REV.

16. REMARKS

\*BLOCK 4: DO NOT ADDRESS PARAGRAPHS 10.1, 10.2,10.4.1(f) AND 10.4.2. IGNORE ALL REFERENCE TO THE WORD "SPECIAL" IN DID.SUBMIT FOR ALL TESTS AND ALL CRITICAL, SPECIAL AND MAJOR CHARACTERISTICS IN SPECIFICATION OR QAP. UNLESS OTHERWISE SPECIFIED, INSPECTION EQUIPMENT INCLUDES STANDARD MEASURING AND TEST EQUIPMENT AND/OR COMMERCIAL OFF THE INSPECTION/TEST EQUIPMENT. \*\*BLOCK 12:SUBMIT 45 DAYS PRIOR TO FA,OR PRODUCTION,IF FA IS

WAIVED. THE GOVERNMENT WILL RESPOND WITHIN 45 DAYS OF RECEIPT OF ORIGINALS AND REVISIONS. REVISIONS ARE TO BE SUBMITTED WITHIN 10 DAYS OF RECEIPT OF GOVERNMENT RESPONSE. IF DOCUMENTATION WAS APPROVED ON PRIOR CONTRACT AND NO CHANGES WERE MADE, SUBMIT ONLY EVIDENCE OF PRIOR APPROVALS. All submissions should be presented in the following formats via e-mail or on PC compatible CD-ROM, 100MB Iomega ZIP disks, or 3.5" high density floppy discs

Textual Information	MS Office compatible (i.e. doc.xls, rtf)
Technical Drawings	Windows Metafile, Bitmap, JPEG, DesignCAD 2D or AutoCAD formats
Illustrations/Photos	Windows Metafile, Bitmap, JPEG (i.e. WMF, BMP, JPG, GIF)

Files may be compressed using ZIP program.

WARNING: Large packages may cause delays in delivery using mail internet.

Email subject line must contain end item nomenclature.

Email jenningsst@ria.army.mil

Postal: US ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND (SBCCOM)

ATTN: AMSSB-RSO-ADM(RI), CDE QA CELL, BLDG. 62, ROCK ISLAND, IL 61299-7390

---

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 06/05/2000